

CM4. Ethernet, THE MOST INTUITIVE AND EASY TO USE NANO-PLC ON YOUR ETHERNET NETWORK













em4. Ethernet,AN EXTENDED IP CONNECTIVITY...

The programmable logic controller with Modbus TCP/IP communication, manages datalogs in .csv format (Excel) and alerts by email.

Complete access to your equipment:



Easy to set up

Program and set up your em4 Ethernet from your PC using standard network connections



Control, monitor and supervise

Manage automated installations using TCP/IP Ethernet Modbus



Essential information

Save data (datalog) from your installation and periodically receive a .csv file* by email or FTP server**



Simplified addressing

With auto discovery of em4 labels easily address up to 8 em4

Whether you are an **installer**, **electrician**, **integrator**, **manufacturer of small machines** or you work in **a design office**, e**m4** Ethernet is perfectly suited to your needs.



^{*} Text file which can be manipulated in an Excel spreadsheet.


^{**} The FTP (File Transfer Protocol) server transfers files via the Internet or a local computer network (intranet). Any person with the appropriate permission can upload and send files to a remote computer running such a server.

The most intelligent and easiest network solution for managing your systems

- Simple to learn and use
- Optimised maintenance costs
- Reduced operating costs
- Improve energy management
- Easy data archiving
- Accurate measurements from your industrial sensors
- No training costs to consider

THE em4. Ethernet RANGE

em4 Ethernet



Ether **net**

Programmable Logic Controller communicating on local area network

- Manage timed or trigger based data exchange between devices via simple function blocks (Modbus TCP/IP),
- > Program and debug your em4 Ethernet from anywhere on the Ethernet local network,
- > Receive scheduled simple datalogs via email or FTP,
- Send email alerts fully controlled by the application program.



- Communicate with up to 16 em4 Ethernet or other devices with the Ethernet Modbus TCP/IP standard protocol Client and Server
- → Connect the touch panel directly to your em4 Ethernet

em4 tool box

em4. soft



Native Ethernet

No need for USB or Modbus accessories



Discovery

Automatically detect up to 8, and debug all em4 in the network



Modbus TCP/IP Client and server

Communicate with up to 16 devices on the network



Datalog via email or FTP

Receive scheduled .csv files via email or FTP



Event management by email

Receive an email as soon as an event occurs in your application




Go online

Connect to your em4 via the internet

CREATE YOUR em4, NETWORK


Due to extensive connectivity options, remotely access the system in real time, manage and centralise data and take control of your installation.

TCP/IP Modbus Network



- * External router to set up
- Create your Modbus TCP/IP network by identifying client devices and server equipment
- Manage your devices from your computer in a local network: Editing programs, Simulation and Debug program
- 3 Possibility of adding a SCADA for remote management of your installation in real time

Discover the network functionalities:



- On an FTP server, periodically receive .csv files of saved variables
- By mail, receive alerts or periodically .csv files of saved variables
- Remotely check the em4 front panel without having access to the program

^{*} Router requires configuration


em₄, soft,

THE MOST INTUITIVE ON THE MARKET



The most intuitive, programming software on the market, em4 soft, includes all remote management functions in a single tool and it is a **free software**!

Saves time when designing your application and remote functions by using a graphical programming language.



Access to the front panel

> Control the em4 front panel directly from your computer.

em4. Ethernet TECHNICAL DATA

em4 Ethernet nano-PLC





em4 base - General data

	Main features
Power supply	24 V DC (-15% / +20%) 4W-6.5W
Operating temperature	-20°C to 60°C
MMI	4 lines of 18 characters (black and white) 6-button keypad
Programming	FBD (including SFC) Large capacity memory ~1000 functional blocks
Clock	Backed up by a recyclable internal battery with a 10-year lifespan
Connections	Ethernet, Modbus TCP/IP Client & Server, email, FTP
Optional interfaces	USB, RS485 slave Modbus
Protection	IP20 on I/O terminals IP40 on the Glossy front panel
Certification	CE, cULus listed

em4 base - Inputs

	•
No.	Main features
4	24 V DC on/off inputs Quick encoder inputs (20kHz or 40kHz), counter (60kHz), tachometer, timer, time interval meter
8	24 V DC on/off inputs 12-bit analogue inputs (Potentiometer or 0-28.8V ±2%) for NTC, LDR 10-bit analogue inputs (0-10V ±1.1%)
4	24 V DC on/off inputs 12-bit analogue inputs (0-10V ±0.8%) 11-bit analogue inputs (0-20mA / 4-20mA ±1.2%)
Accur	acy of analogue inputs at 25°C

em4 base - Outputs

No.	Main features
2	Static 24 V DC 0.5A digital outputs 10 bit PWM 24 V DC analog outputs (0-10V or 4-20mA with an external converter)
2	250 V AC / 6A relay outputs
6	250 V AC / 8A relay outputs One with NO/NC contact

em4 expansions

E10A analogue expansions

No.	Principal features	
6	24 V DC on/off inputs 12-bit analogue inputs (0-10V ±0.8%) 11-bit analogue inputs (0-20 / 4-20mA ±1.2%)	
2	24 V DC 0.5A static outputs 24 V DC PWM outputs (0-10V or 4-20mA outputs with external converter)	
2	10-bit 0-10V analogue outputs (±1%)	
Accuracy of analogue inputs and outputs at 25°C		





em4 Ethernet product pages

E10R digital expansions

No.	Main features	
6	24 V DC on/off inputs 12-bit analogue inputs (Potentiometer or 0-28.8V $\pm 2\%$) for digital time converter, LDR 10-bit analogue inputs (0-10V $\pm 1.1\%$)	
2	250 V AC relay outputs / 6A digital outputs	
2	250 V AC relay outputs / 8A digital outputs	
Accuracy of analogue inputs at 25°C		

em4 Part numbers

	Description	Reference
Glossy Black	em4 Ethernet	88 981 133
	Starter kit em4 Ethernet	88 981 136
	em4 digital expansion E10R	88 982 113
	em4 analog expansion E10A	88 982 213
0	Evaluation case em4 Ethernet	88 980 183

ABOUT CROUZET AUTOMATION

simplification of programming. The brand offers the easiest-to-use and most adaptable alternative automation solution for specialized and demanding needs. Crouzet Automation is a brand of InnoVista Sensors™.

Tel. +33 (0) 475 802 101 Fax +33 (0) 475 828 900 Email: info@em4-remote-plc.com











Contact us!

InnoVista Sensors™: your trusted partner of choice to face industrial challenges of today and tomorrow.

InnoVista Sensors $^{\text{IM}}$ is a worldwide industrial specialist of sensors, controllers and actuators for automated systems.

Through its brands, Crouzet Aerospace, Crouzet Automation, Crouzet Control, Crouzet Motors, Crouzet Switches and Systron Donner Inertial, InnoVista Sensors™ offers a wide range of reliable, efficient and customizable components dedicated to the Aerospace & Defence, Transportation and Industrial market and segments.

Thanks to the recognized expertise of its teams and a strong innovation policy, InnoVista Sensors™ brings performance enhancing solutions to its customers worldwide.